

SHEET _____

SECTION _____



PRODUCT SUBMITTAL DATA

ENGRAVED PHENOLIC PLASTIC NAMEPLATES



DESCRIPTION: Tough thermoset nameplate with contrasting color layers. Excellent for all types of marking in industrial environments. Non-flammable, scratch resistant plastic that is also resistant to chemical and solvents, Limited color availability.

USE: Indoor use only.

Craftmark's Phenolic nameplates and signs are made from a non-conductive plastic which meets Mil-Std-387A Type N.D.P., LP-509, ASTM D 709, ES-1, ES-2, ES-3, LP-387. Extremely durable, heat resistant, non flammable and chemical and solvent resistant. Indoor use only. Non-bending material is great for any flat application. Choose from 1/16" or 1/8" thick materials. Available with holes or adhesive backing.

STANDARD COLORS AVAILABLE

RED/WHITE

YELLOW/BLACK

BLACK/WHITE

WHITE/BLACK

DATE: ___ / ___ / ___

JOB: _____

CONTRACTOR: _____

ENGRAVED PHENOLIC PLASTIC NAMEPLATES (Continued)

ADHESIVE: Available with holes or with 2 mil 3M 467MP adhesive backing.

SURFACE PREPARATION: None needed for screw attachment. For adhesive attachment the surface must be clean, dry & oil free.

SERVICE TEMPERATURE: -30°F to 200°F

APPLICATION TEMPERATURE: N/A for screw attached.
50°F for adhesive attachment.

AVERAGE OUTDOOR DURABILITY: Not recommended for extended outdoor use.

CHEMICAL RESISTANCE: EXCELLENT

MOISTURE RESISTANCE: GOOD

ABRASION RESISTANCE: EXCELLENT

GLOSS: 85 Gardner units

STORAGE STABILITY: Indefinite for screw attached.
2 years for adhesive attached at 70°F at 50% relative humidity.

DATE: ___ / ___ / ___

JOB: _____

CONTRACTOR: _____
