

**ASME  
MEETS  
ANSI A13.1-2015**

# SPECMARK™ SNAP ON PIPE MARKERS



Specmark™ Precoiled & Pretensioned Plastic Markers save installation time and labor costs!

Craftmark's Specmark™ conform 100% to ASME (ANSI) A13.1-2015 Standard "Scheme for the Identification of Piping Systems". We use only the most durable materials and UV screen inks. These durable markers are used on wet, oily, cold, dirty, or rusty pipes, where pressure sensitives won't stick! No preparation of the pipe surface is required before application so valuable labor time is saved!

## FEATURES

- Meets ASME (ANSI) A13.1-2015 Standard-100%
- No pipe preparation necessary.
- 360° visibility-Styles AA-F
- Installs quickly in new and existing facilities.
- Can be removed and re-used.
- Markers come with preprinted arrows.
- Choose from over 320 stock legends.
- Available in 7 standard coiled sizes.
- Sizes G-H supplied with Black Nylon, UV stabilized ties.
- Sizes to fit 3/8" thru 40"
- Coiled plastic is lightweight yet durable.
- Coiled marker snaps around pipe with ease.
- Heavy 20 mil vinyl on sizes AA-B, G, H.
- Super Heavy-duty 30mil vinyl on sizes C, D, E, F.
- Custom available with no set-up charges or hidden minimum orders. Order 1 with no set-up charge!

## • SPECMARK™ Application Guide

<b>STYLE AA</b> • For pipe diameters 3/8" - 11/16" 4" marker width, 1/4" letters	
<b>STYLE A</b> • For pipe diameters 3/4" - 1" 8" marker width, 1/2" letters	
<b>STYLE B</b> • For pipe diameters 1 1/8" - 2 3/8" 8" marker width, 3/4" letters	
<b>STYLE C</b> • For pipe diameters 2 1/2" - 3 1/4" 12" marker width, 1 1/4" letters	
<b>STYLE D</b> • For pipe diameters 3 3/8" - 4 1/2" 12" marker width, 1 1/4" letters	
<b>STYLE E</b> • For pipe diameters 4 5/8" - 5 7/8" 12" marker width, 1 1/4" letters	
<b>STYLE F</b> • For pipe diameters 6" - 8" 12" marker width, 1 1/4" letters	
<b>STYLE G (Not 360°)</b> • For pipe diameters 8" - 10" 24" marker width, 2 1/2" letters	
<b>STYLE H (Not 360°)</b> • For pipe diameters over 10" 32" marker width, 3 1/2" letters	

## • STANDARD COLORS

<b>FLAMMABLE FLUIDS</b> SAFETY YELLOW
<b>POTABLE, COOLING, BOILER FEED &amp; OTHER</b> SAFETY GREEN
<b>COMPRESSED AIR</b> SAFETY BLUE
<b>FIRE QUENCHING FLUIDS</b> SAFETY RED
<b>TOXIC &amp; CORROSIVE FLUIDS</b> SAFETY ORANGE
<b>COMBUSTIBLE FLUIDS</b> SAFETY BROWN
<b>USER DEFINED</b> SAFETY PURPLE
<b>USER DEFINED</b> SAFETY WHITE
<b>USER DEFINED</b> SAFETY GRAY
<b>USER DEFINED</b> SAFETY BLACK

Specmark™ Stock Pricing				
STYLE	FITS PIPE OD	1-99	100-249	250-499
AA	.375"-.688"	2.00	1.80	1.60
A	.75"-1.125"	2.15	2.05	1.75
B	1.125"-2.375"	2.80	2.65	2.30
C	2.5"-3.25"	5.45	5.30	4.15
D	3.375"-4.5"	5.70	5.55	4.55
E	5.625"-5.875"	6.05	5.85	4.85
F	6"-8"	7.20	6.90	5.75
G	8"-10"	8.65	8.30	7.05
H	10"-40"	11.86	11.60	9.60

Specmark™ Custom Pricing				
STYLE	FITS PIPE OD	1-9	10-49	50-249
AA	20	2.60	2.40	2.30
A	30	2.80	2.55	2.40
B	20	3.60	3.45	3.15
C	18	6.45	6.35	5.50
D	18	6.75	6.55	6.40
E	18	6.85	6.65	6.55
F	24	8.65	8.40	7.60
G	22	10.55	10.50	9.95
H	22	14.65	14.25	13.55

MARKERS DO NOT COMBINE FOR QTY PRICE BREAKS

• CONTACT FACTORY FOR 500+ PRICING

## TO ORDER

- SPECIFY STOCK NUMBER
- SPECIFY QUANTITY OF EACH MARKER
- COMBINE ALL STOCK LEGEND FOR BEST PRICE BREAK
- CONTACT FACTORY FOR 500+ PRICING


## • SIZES TO FIT EVERY PIPE •

To make certain you have the correct size marker, you must remember to add in the insulation thickness. The following guides should assist you in determining the correct size markers.

OVERALL OUTSIDE DIAMETER INCLUDING INSULATION	SPECMARK SIZE	COLOR FIELD WIDTH	CHARACTER SIZE
3/8" - 1 1/16"	AA	4"	1/4"
3/4" - 1"	A	8"	1/2"
1 1/8" - 2 3/8"	B	8"	3/4"
2 1/2" - 3 1/4"	C	12"	1 1/4"
3 3/8" - 4 1/2"	D	12"	1 1/4"
4 5/8" - 5 7/8"	E	12"	1 1/4"
6" - 8"	F	12"	1 1/4"
8" - 10"	G	24"	2 1/2"
10" - OVER	H	32"	3 1/2"



\* Indicates 2007 version ASME(ANSI) color code




LEGEND	COLOR Letter/Bknd	Style AA	Style A	Style B	Style C	Style D	Style E	Style F	Style G	Style H
ACETONE	B/Y	7464	1419	1420	1421	1422	1423	1424	1425	1426
ACID*	B/O	19000	19069	19139	19209	19279	19349	19419	19489	19559
ACID	B/Y	7466	2001	2100	1449	1450	1451	1452	1453	1454
ACID VENT*	B/O	19001	19070	19140	19210	19280	19350	19420	19490	19560
ACID VENT	B/Y	7500	2025	2180	1400	1410	1411	1412	1413	1414
ACID WASTE*	B/O	19002	19071	19141	19211	19281	19351	19421	19491	19561
ACID WASTE	B/Y	7467	7468	7469	7470	7471	7472	7473	7474	7575
AIR	W/BLU	7476	1463	1464	1465	1466	1467	1468	1469	1470
AIR	W/G	7477	2004	2104	2201	2300	1478	1479	1480	1481
AIR	B/Y	7478	2005	1491	1492	1493	1494	1495	1496	1497
ALUM	B/Y	14000	14001	14002	14003	14004	14005	14006	14007	14008
AMMONIA*	B/O	19003	19072	19142	19212	19282	19352	19422	19492	19562
AMMONIA	B/Y	7528	1554	1555	1556	1557	1558	1559	1560	1561
ARGON	W/G	7529	1568	1569	1570	1571	1572	1573	1574	1575
ASBESTOS FREE	W/BLU	14009	14010	14011	14012	14013	14014	14015	14016	14017
ASBESTOS FREE INSULATION	W/BLU	7556	7557	7558	7559	7560	7561	7562	7563	7564
ASBESTOS INSULATION	B/Y	14018	14019	14020	14021	14022	14023	14024	14025	14026
BACKWASH	W/G	1653	1654	1655	1656	1657	1658	1659	1661	1660
BACKWASH	B/Y	1678	1670	1671	1672	1673	1674	1675	1676	1677
BLOWDOWN	B/Y	14063	14064	1799	14066	14067	14068	14069	1802	14071
BOILER BLOWDOWN*	W/G	19004	19073	19143	19213	19283	19353	19423	19493	19563
BOILER BLOWDOWN	B/Y	1804	1798	1826	800	2305	2401	1801	1829	1803
BOILER FEED*	W/G	19005	19074	19144	19214	19284	19354	19424	19494	19564
BOILER FEED	B/Y	1831	1825	14065	1827	2306	2402	1828	14070	1830
BOILER FEED WATER*	W/G	7580	7581	7582	7583	7584	7585	7586	7587	7588
BRINE*	B/O	19007	19076	19146	19216	19286	19356	19426	19496	19566
BRINE	W/G	1894	1886	1887	1888	1889	1890	1891	1892	1893
BYPASS	B/Y	14072	14073	2662	14075	14076	14077	14078	2667	14080
CARBON DIOXIDE*	W/GREY	19008	19077	19147	19217	19287	19357	19427	19497	19567
CARBON DIOXIDE	B/Y	8005	2661	2101	2663	2664	2665	2666	2715	2668
CARBON DIOXIDE 50 PSI	W/GREY	23000	23040	23080	23120	23160	23200	23240	23280	23320
CAUSTIC*	B/O	119008	19078	19148	19218	19288	19358	19428	19498	19568
CAUSTIC	B/Y	8017	2002	14074	2711	2712	2713	2714	14079	2716
CAUSTIC SODA*	B/O	19009	19079	19149	19219	19289	19359	19429	19499	19569
CAUSTIC SODA	B/Y	8016	2741	2742	2743	2744	2745	2746	2747	2748
CHEMICAL FEED*	B/O	19010	19080	19150	19220	19290	19360	19430	19500	19570
CHEMICAL FEED	B/Y	8028	8029	8030	8031	8032	8033	8034	8035	8036
CHILLED WATER	W/G	8037	2802	2143	2242	2345	2426	2509	2608	2705
CHILLED WATER RETURN	W/G	8039	2812	2813	2814	2346	2427	2510	2609	2706
CHILLED WATER SUPPLY	W/G	8040	2825	2826	2827	2347	2428	2511	2610	2707
CHLORINE*	B/O	19011	19081	19151	19221	19291	19361	19431	19501	19571
CHLORINE	B/Y	8038	2003	2102	2835	2836	2837	2838	2839	2840
CHLORINE GAS*	B/O	19012	19082	19152	19222	19292	19362	19432	19502	19572
CHLORINE GAS	B/Y	14081	14082	2144	14084	14085	14086	14087	2853	14089
CHLORINE SOLUTION*	B/O	19013	19083	19153	19223	19293	19363	19433	19503	19573
CHLORINE SOLUTION	B/Y	14090	14091	2878	14093	14094	14095	14096	2883	14098
CIRCULATING WATER	W/G	8041	2848	14083	2849	2850	851	2852	14088	2854
CITY GAS	B/Y	8102	2877	14092	2879	2880	2881	2882	14097	2884
CITY WATER	W/G	8103	2018	145	2243	2348	2429	2891	2892	2893
COLD WATER	W/G	8122	2019	2146	2244	2349	2430	2934	2935	2936
COLD WATER RETURN	W/G	8121	2946	2147	2245	2350	2431	2947	2948	2949
COLD WATER SUPPLY	W/G	8120	2959	2148	2246	2351	2432	2960	2961	2962
COMPRESSED AIR	W/BLU	8124	2989	2107	2204	2303	2990	2991	2992	2993
COMPRESSED AIR	B/Y	8125	2006	2106	2203	2302	3114	3115	3116	3117
CONDENSATE*	W/G	19014	19084	19154	19224	19294	19364	19434	19504	19574
CONDENSATE	B/Y	8126	3124	2108	2205	2304	2400	3125	3126	3127
CONDENSATE DRAIN	B/Y	8143	8127	8128	8129	8130	8131	8132	8133	8134

# SPECMARK™ SNAP ON PIPE MARKERS




\* Indicates 2007 version ASME(ANSI) color code


**STYLE AA**  
•For pipe diameters 3/8" - 1 1/8"  
4" marker width, 1/4" letters




**STYLE A**  
•For pipe diameters 3/4" - 1"  
8" marker width, 1/2" letters




**STYLE B**  
•For pipe diameters 1 1/8" - 2 3/8"  
8" marker width, 3/4" letters




**STYLE C**  
•For pipe diameters 2 1/2" - 3 1/4"  
12" marker width, 1 1/4" letters




**STYLE D**  
•For pipe diameters 3 3/8" - 4 1/2"  
12" marker width, 1 1/4" letters




**STYLE E**  
•For pipe diameters 4 7/8" - 5 7/8"  
12" marker width, 1 1/4" letters




**STYLE F**  
•For pipe diameters 6" - 8"  
12" marker width, 1 1/4" letters



**STYLE G** (Not 3007)  
•For pipe diameters 8" - 10"  
24" marker width, 2 1/2" letters



**STYLE H** (Not 3007)  
•For pipe diameters over 10"  
32" marker width, 3 1/2" letters



LEGEND		COLOR Letter/Bknd	Style AA	Style A	Style B	Style C	Style D	Style E	Style F	Style G	Style H
CONDENSATE DRAIN*	W/G	8100	8135	8136	8137	8138	8139	8140	8141	8142	
CONDENSATE RETURN	B/Y	8101	3150	2109	2206	2307	3151	3152	3153	3154	
CONDENSATE SUPPLY	B/Y	8104	3155	3156	3157	3158	3159	3170	3171	3172	
CONDENSER WATER	W/G	8105	3229	2149	2247	2352	2433	3230	3231	3232	
CONDENSER WATER RETURN	W/G	8106	8107	8144	8145	8146	8147	8148	8149	8150	
CONDENSER WATER SUPPLY	W/G	8108	8151	8152	8153	8154	8155	8156	8157	8158	
COOLING WATER	W/G	8159	3290	2150	2248	2353	3291	3292	3293	3294	
COOLING WATER RETURN	W/G	8109	8160	8161	8162	8163	8164	8165	8166	8167	
COOLING WATER SUPPLY	W/G	8110	8168	8169	8170	8171	8172	8173	8174	8175	
CYCLOPROPANE	B/O	23001	23041	23081	23121	23161	23201	23241	23281	23321	
DANGER ASBESTOS INSULATION	B/Y	7565	7566	7567	7568	7569	7570	7571	7572	7573	
DEIONIZED WATER	W/G	8200	3387	2151	3388	2354	3389	3390	3391	3392	
DEIONIZED WATER RETURN	W/G	8375	8376	8377	8378	8379	8380	8391	8382	8383	
DEIONIZED WATER SUPPLY	W/G	8393	8384	8385	8386	8387	8388	8389	8390	8392	
DISCHARGE	B/Y	3455	3447	3448	3449	3450	3451	3452	3453	3454	
DISTILLED WATER	W/G	23002	23042	23082	23122	23162	23202	23242	23282	23322	
DOMESTIC	B/Y	3474	3492	3493	3494	3495	3496	3497	3498	3499	
DOMESTIC	W/G	3485	3477	3478	3479	3480	3481	3482	3483	3484	
DOMESTIC COLD WATER	W/G	8442	8443	8444	8445	9709	8446	8447	8448	8449	
DOMESTIC COLD WATER RETURN	W/G	8441	8451	8452	8453	8454	8455	8456	8457	8458	
DOMESTIC COLD WATER SUPPLY	W/G	8440	8460	8461	8462	8463	8464	8465	8466	8467	
DOMESTIC HOT WATER*	W/G	19015	19085	19155	19225	19295	19365	19435	19505	19575	
DOMESTIC HOT WATER	B/Y	3512	3507	2152	2250	2355	3508	3509	3510	3511	
DOMESTIC HOT WTR RECIRC	B/Y	19016	19086	19156	19226	19296	19366	19436	19506	19576	
DOMESTIC HOT WTR RECIRC*	W/G	19017	19087	19157	19227	19297	19367	19437	19507	19577	
DOMESTIC HOT WATER RETURN*	W/G	19018	19088	19158	19228	19298	19368	19438	19508	19578	
DOMESTIC HOT WATER RETURN	B/Y	8492	8450	8459	8468	8469	8470	8471	8472	8473	
DOMESTIC HOT WATER SUPPLY*	W/G	19019	19089	19159	19229	19299	19369	19439	19509	19579	
DOMESTIC HOT WATER SUPPLY	B/Y	8491	8474	8475	8476	8477	8478	8479	8490	8480	
DOMESTIC WATER	W/G	3330	3331	3332	3333	3334	3335	3336	3337	3338	
DRAIN	W/G	8481	3520	2112	2210	2311	3521	3522	3523	3524	
DRAIN	B/Y	8482	8483	8484	8485	8486	8487	8488	8489	8493	
DRAIN*	B/O	19020	19090	19160	19230	19300	19370	19440	19510	19580	
DRINKING WATER	W/G	14099	14100	14101	14102	14103	14104	14105	14011	14107	
DUAL TEMP RETURN*	W/G	19021	19091	19161	19231	19301	19371	19441	19511	19581	
DUAL TEMP RETURN	B/Y	14108	14109	14110	14111	14112	14113	14114	14115	14116	
DUAL TEMP SUPPLY*	W/G	19022	19092	19162	19232	19302	19372	19442	19512	19582	
DUAL TEMP SUPPLY	B/Y	14117	14118	14119	14120	14121	14122	14123	14124	14125	
EXHAUST	B/Y	8555	3662	3663	3664	3665	3666	3667	3668	3669	
EVAC	W/PUR	23003	23043	23083	23123	23163	23203	23243	23283	23323	
FEED	B/Y	3770	3761	3762	3763	3764	3765	3766	3767	3768	
FEED	W/G	8593	3777	3778	3779	3780	3781	3782	3783	3784	
FILTERED WATER*	W/G	19023	19093	19163	19233	19303	19373	19443	19513	19583	
FILTERED WATER	W/BLU	3802	3803	3806	3807	3808	3809	3810	3811	3812	
FIRE PROTECTION WATER	W/R	8610	3844	2117	2215	2318	2411	2502	2601	2700	
FIRE SPRINKLER WATER	W/R	23004	23044	23084	23124	23164	23204	23244	23284	23324	
FIRE AUTO SPRINKLER	W/R	14126	14127	14128	14129	14130	14131	14132	14133	14134	
FREON	W/G	8611	3903	3904	3905	3906	3907	3908	3909	3910	
FUEL GAS	B/Y	8620	3934	3935	3836	3937	3938	3939	3940	3941	
FUEL OIL	B/Y	8622	3948	3949	3950	3951	3952	3953	3954	3955	
FUEL OIL RETURN	B/Y	8621	8623	8624	8625	8626	8627	8628	8629	8630	
FUEL OIL SUPPLY	B/Y	8642	8631	8632	8633	8634	8635	8636	8637	8638	
FUEL OIL VENT	B/Y	14144	14145	14146	14147	14148	14149	14150	14151	14152	
GAS	B/Y	8647	8648	8649	8650	8651	8652	8653	8654	8655	
GEOHERMAL LOOP RET.	W/G	23005	23045	23085	23125	23165	23205	23245	23285	23325	
GEOHERMAL LOOP SUP.	W/G	23006	23046	23086	23126	23166	23206	23246	23286	23326	
GROUND LOOP RETURN	W/G	23007	23047	23087	23127	23167	23207	23247	23287	23327	

Color Reference: Y=Yellow • Blu=Blue • R=Red • G=Green • B=Black • W=White • Br=Brown • O=Orange • Gr=Gray

LEGEND	COLOR Letter/Bknd	Style AA	Style A	Style B	Style C	Style D	Style E	Style F	Style G	Style H
GROUND LOOP SUPPLY	W/G	23008	23048	23088	23128	23168	23208	23248	23288	23328
GLYCOL*	B/O	19024	19094	19164	19234	19304	19374	19444	19514	19584
GLYCOL	B/Y	8657	3990	3991	3992	3993	3994	3995	3996	3997
GLYCOL RETURN*	B/O	19025	19095	19165	19235	19305	19375	19445	19515	19585
GLYCOL RETURN	B/Y	8656	8658	8659	8660	8661	8662	8663	8664	8665
GLYCOL SUPPLY*	B/O	19026	19096	19166	19236	19306	19376	19446	19516	19586
GLYCOL SUPPLY	B/Y	8675	8666	8667	8668	8669	8670	8671	8672	8673
HEAT	B/Y	14153	14154	14155	14156	14157	14158	14159	14160	14161
HEATING HOT WATER RETURN*	W/G	19027	19097	19167	19237	19307	19377	19447	19517	19587
HEATING HOT WATER RETURN	B/Y	8704	4695	8676	8677	8678	8679	8680	8681	8682
HEATING HOT WATER SUPPLY*	W/G	19028	19098	19168	19238	19308	19378	19448	19518	19588
HEATING HOT WATER SUPPLY	B/Y	8705	4696	8601	8602	8603	8604	8605	8606	8607
HEATING RETURN*	W/G	19029	19099	19169	19239	19309	19379	19449	19519	19589
HEATING RETURN	B/Y	8700	4690	2126	2223	2326	2413	4691	4692	4693
HEATING SUPPLY*	W/G	19030	19100	19170	19240	19310	19380	19450	19520	19590
HEATING SUPPLY	B/Y	8701	4715	2127	2224	2327	2414	4716	4717	4718
HEATING WATER RETURN*	W/G	19031	19101	19171	19241	19311	19381	19451	19521	19591
HEATING WATER RETURN	B/Y	8702	8683	8684	8685	8686	8687	8688	8689	8690
HEATING WATER SUPPLY*	W/G	19032	19102	19172	19242	19312	19382	19452	19522	19592
HEATING WATER SUPPLY	B/Y	8703	8691	8692	8693	8694	8695	8696	8697	8698
HEAT PUMP LOOP RET	W/G	23009	23049	23089	23129	23169	23209	23249	23289	23329
HEAT PUMP LOOP SUP	W/G	23010	23050	23090	23130	23170	23210	23250	23290	23330
HELIUM	W/G	14162	14163	14164	14165	14166	14167	14168	14169	14170
HELIUM 50 PSI	W/BR	23011	23051	23091	23131	23171	23211	23251	23291	23331
HIGH PRESSURE AIR	B/Y	8740	4786	4788	4789	4790	4791	4792	4793	4794
HIGH PRESSURE CONDENSATE*	W/G	19033	19103	19173	19243	19313	19383	19453	19523	19593
HIGH PRESSURE CONDENSATE	B/Y	8741	4801	4802	2208	2309	2403	4803	4804	4805
HIGH PRESSURE GAS	B/Y	8742	4813	4814	4815	4816	4817	4818	4819	4820
HIGH PRESSURE STEAM*	W/G	19034	19104	19174	19244	19314	19384	19454	19524	19594
HIGH PRESSURE STEAM	B/Y	8743	4844	2131	2228	2331	2418	4845	4846	4847
HIGH PRESSURE WATER	B/Y	8745	4855	4856	4857	4858	4859	4860	4861	4865
110° HOT WATER	W/G	23012	23052	23092	23132	23172	23212	23252	23292	23332
120° HOT WATER	W/G	23013	23053	23093	23133	23173	23213	23253	23293	23333
140° HOT WATER	W/G	23014	23054	23094	23134	23174	23214	23254	23294	23334
160° HOT WATER	W/G	23015	23055	23095	23135	23175	23215	23255	23295	23335
110° HOT WATER RETURN	W/G	23016	23056	23096	23136	23176	23216	23256	23296	23336
120° HOT WATER RETURN	W/G	23017	23057	23097	23137	23177	23217	23257	23297	23337
140° HOT WATER RETURN	W/G	23018	23058	23098	23138	23178	23218	23258	23298	23338
160° HOT WATER RETURN	W/G	23019	23059	23099	23139	23179	23219	23259	23299	23339
110° HOT WATER SUPPLY	W/G	23020	23060	23100	23140	23180	23220	23260	23300	23340
120° HOT WATER SUPPLY	W/G	23021	23061	23101	23141	23181	23221	23261	23301	23341
140° HOT WATER SUPPLY	W/G	23022	23062	23102	23142	23182	23222	23262	23302	23342
160° HOT WATER SUPPLY	W/G	23023	23063	23103	23143	23183	23223	23263	23303	23343
HOT WATER*	W/G	19035	19105	19175	19245	19315	19385	19455	19525	19595
HOT WATER	B/Y	8744	2020	2153	2251	2356	2434	4899	4900	4901
HOT WATER RECIRC.*	W/G	19036	19106	19176	19246	19316	19386	19456	19526	19596
HOT WATER RECIRC.	B/Y	14171	14172	14173	14174	14175	14176	14177	14178	14179
HOT WATER RETURN*	W/G	19037	19107	19177	19247	19317	19387	19457	19527	19597
HOT WATER RETURN	B/Y	8746	4911	4912	2252	2357	2435	2512	2611	4913
HOT WATER SUPPLY*	W/G	19038	19108	19178	19248	19318	19388	19458	19528	19598
HOT WATER SUPPLY	B/Y	8747	4923	4924	2253	2358	2436	2513	2612	4925
HYDRAULIC LINE	B/Y	14180	14181	14182	14183	14184	14185	14186	14187	14188
HYDRAULIC OIL	B/Y	14189	14190	14191	14192	14193	14194	14195	14196	14197
HYDRAULIC SUPPLY	B/Y	14198	14199	14200	14201	14202	14203	14204	14205	14206
HYDROCHLORIC ACID	B/Y	14207	14208	14209	14210	14211	14212	14213	14214	14215
HYDROGEN	B/Y	8797	2008	2120	2218	2312	4948	4949	4950	4951
HYDROGEN	W/G	8798	8799	8800	8801	8802	8803	8804	8805	8806
HYDROGEN PEROXIDE	B/Y	14216	14217	14218	14219	14220	14221	14222	14223	14224
INDUSTRIAL COLD WATER	W/G	14225	14226	14227	14228	14229	14230	14231	14232	14233
INDUSTRIAL HOT WATER*	W/G	19039	19109	19179	19249	19319	19389	19459	19529	19599
INDUSTRIAL HOT WATER	B/Y	14235	14236	14237	14238	14239	14240	14241	14242	14243
INDUSTRIAL WASTE	B/Y	8834	8835	8836	8837	8838	8839	8840	8841	8842
INDUSTRIAL WATER	W/G	8843	4993	4994	4995	4996	4997	4998	4999	5100
INSTRUMENT AIR*	W/R	19040	19110	19180	19250	19320	19390	19460	19530	19600
INSTRUMENT AIR	W/BLU	8862	2007	5142	5143	5144	5145	5146	5147	5148
LAB AIR	B/Y	14244	14245	14246	14247	14248	14249	14250	14251	14252
LAB VACUUM*	B/W	19041	19111	19181	19251	19321	19391	19461	19531	19601
LAB VACUUM	B/Y	14253	14254	14255	14256	14257	14258	14259	14260	14261
LAB VENT*	W/G	19043	19113	19183	19253	19323	19393	19463	19533	19603
LAB VENT*	B/Y	19044	19114	19184	19254	19324	19394	19464	19534	19604
LAB WASTE*	B/O	19042	19112	19182	19252	19322	19392	119462	19532	19602
LAB WASTE	B/Y	14262	14263	14264	14265	14266	14267	14268	14269	14270

# SPECMARK™ SNAP ON PIPE MARKERS



\* Indicates 2007 version ASME(ANSI) color code

**STYLE AA**  
•For pipe diameters 3/8" - 1 1/8"  
4" marker width, 1/4" letters

**STYLE A**  
•For pipe diameters 3/4" - 1"  
8" marker width, 1/2" letters

**STYLE B**  
•For pipe diameters 1 1/8" - 2 3/8"  
8" marker width, 3/4" letters

**STYLE C**  
•For pipe diameters 2 1/2" - 3 1/4"  
12" marker width, 1 1/4" letters

**STYLE D**  
•For pipe diameters 3 3/8" - 4 1/2"  
12" marker width, 1 1/4" letters

**STYLE E**  
•For pipe diameters 4 5/8" - 5 7/8"  
12" marker width, 1 1/4" letters

**STYLE F**  
•For pipe diameters 6" - 8"  
12" marker width, 1 1/4" letters

**STYLE G** (Not 360°)  
•For pipe diameters 8" - 10"  
24" marker width, 2 1/2" letters

**STYLE H** (Not 360°)  
•For pipe diameters over 10"  
32" marker width, 3 1/2" letters

LEGEND	COLOR Letter/Bknd	Style AA	Style A	Style B	Style C	Style D	Style E	Style F	Style G	Style H
LOOP WATER SUPPLY*	W/G	19045	19115	19185	19255	19325	19395	19465	19535	19605
LOOP WATER RETURN*	W/G	19046	19116	19186	19256	19326	19396	19466	19536	19606
LOW PRESSURE AIR	W/BLU	8863	5284	5286	5287	5288	5289	5290	5291	5292
LOW PRESSURE CONDENSATE*	W/G	19047	19117	19187	19257	19327	19397	19467	19537	19607
LOW PRESSURE CONDENSATE	B/Y	8864	5231	2111	2209	2310	2404	2500	2600	5332
LOW PRESSURE GAS	B/Y	8865	5340	5341	5342	5343	5344	5345	5346	5347
LOW PRESSURE STEAM*	W/G	19048	19118	19188	19258	19328	19398	19468	19538	19608
LOW PRESSURE STEAM	B/Y	8866	5353	2132	2229	2332	2419	2504	2603	2702
LOW PRESSURE WATER	W/G	8867	5362	5363	5364	5365	5366	5367	5368	5369
MAKE-UP WATER	W/G	8868	5458	5459	5460	5461	5462	5463	5464	5465
MEDICAL AIR	W/BLU	8915	5492	5493	5494	5495	5496	5497	5498	5499
MEDIUM PRESSURE CONDENSATE	B/Y	14271	14272	14273	14274	14275	14276	14277	14278	14279
MEDIUM PRESSURE AIR	W/BLU	8925	8926	8927	8928	8929	8930	8931	8932	8966
MEDIUM PRESSURE STEAM	B/Y	8933	5506	2133	2230	2333	5507	5508	5509	5510
MEDICAL VACCUM*	B/W	19049	19119	19189	19259	19329	19399	19469	19539	19609
MEDICAL VACUUM	W/BLU	8916	8917	8918	8919	8920	8921	8922	8923	8924
METHANOL	B/Y	14280	14281	14282	14283	14284	14285	14286	14287	14288
MILL AIR	W/BLU	14289	14290	14291	14292	14293	14294	14295	14296	14297
MEDICAL AIR 50 PSI	B/Y	23024	23064	23104	23144	23184	23224	23264	23304	23344
MEDICAL EVAC	W/PUR	23025	23065	23105	23145	23185	23225	23265	23305	23345
MILL WATER	W/G	14298	14299	14300	14301	5221	5522	14303	14304	14305
NATURAL GAS	B/Y	8980	5617	2009	9658	2219	2322	2412	5618	5619
2 PSI NATURAL GAS	B/Y	23026	23066	23106	23146	23186	23226	23266	23306	23346
5 PSI NATURAL GAS	B/Y	23027	23067	23107	23147	23187	23227	23267	23307	23347
NITROGEN*	B/W	19050	19120	19190	19260	19330	19400	19470	19540	19610
NITROGEN	W/G	8982	2010	2122	2220	2323	5643	5644	5645	5646
NITROGEN 160 PSI	W/BLK	23028	23068	23108	23148	23188	23228	23268	23308	23348
NITROUS OXIDE*	W/BLU	19051	19121	19191	19261	19331	19401	19471	19541	19611
NITROUS OXIDE	B/Y	9001	5656	5657	9662	5659	5660	5661	5662	5663
NITROUS OXIDE	W/G	9002	9003	9004	9005	9006	9007	9008	9009	9000
NITROUS OXIDE 50 PSI	W/BLU	23029	23069	23109	23149	23189	23229	23269	23309	23349
NON-POTABLE WATER*	W/G	19052	19122	19192	19262	19332	19402	19472	19542	19612
NON-POTABLE WATER	B/Y	9015	5671	5672	2254	2359	5673	5674	5675	5676
OIL	B/Y	9021	5813	5805	5814	5815	5816	5825	5828	5829
OVERFLOW	W/G	9022	5804	5812	5806	5807	5808	5809	5810	5811
OVERFLOW	B/Y	9053	5821	5822	5823	5824	5830	5826	5827	5828
OXYGEN	B/Y	9063	2012	2124	5865	5866	5867	5868	5869	5870
OXYGEN	W/G	9073	2011	2123	2221	2324	5853	5854	5855	5856
OXYGEN 50 PSI	W/G	23030	23070	23110	23150	23190	23230	23270	23310	23350
PLANT AIR*	W/BLU	19053	19123	19193	19263	19333	19403	19473	19543	19613
PLANT AIR	B/Y	9083	5895	5896	5897	5898	5899	5900	5901	5902
PLANT WATER	W/G	9084	5912	5913	2258	2364	2439	5914	5915	5916
PLUMBING VENT	W/G	9052	5943	2138	2237	2342	5944	5945	5946	5947
POLYMER	B/Y	14316	14317	14318	14319	14320	14321	14322	14323	14324
POLYMER SOLUTION	B/Y	14325	14326	14327	14328	14329	14330	14331	14332	14333
POTABLE WATER	W/G	9129	5988	2154	2255	2360	2437	5989	5990	5991
POTABLE COLD WATER	W/G	19055	19125	19195	19265	19335	19405	19475	19545	19615
POTABLE HOT WATER	W/G	19054	19124	19194	19264	19334	19404	19474	19544	19614
PROCESS WATER	W/G	9130	5980	6094	2266	2367	2440	5982	5995	5997
PROCESS WATER RETURN	W/G	14334	14335	14336	14337	14338	14339	14340	14341	14342
PROCESS WATER SUPPLY	W/G	14343	14344	14345	14346	14347	14348	14349	14350	14351
PROPANE GAS	B/Y	9177	9138	2125	2222	2325	6139	6140	6141	6142
PUMPED CONDENSATE*	W/G	19057	19127	19197	19267	19337	19407	19477	19547	19617
PUMPED CONDENSATE	B/Y	14352	14353	14354	14355	14356	14357	14358	14359	14360
PUMP DISCHARGE	W/G	19056	19126	19196	19266	19336	19406	19476	19546	19616
RADIANT RETURN	W/G	23031	23071	23111	23151	23191	23231	23271	23311	23351
RADIANT SUPPLY	W/G	23032	23072	23112	23152	23192	23232	23272	23312	23352

Color Reference: Y=Yellow • Blu=Blue • R=Red • G=Green • B=Black • W=White • Br=Brown • O=Orange • Gr=Gray

LEGEND	COLOR Letter/Bknd	Style AA	Style A	Style B	Style C	Style D	Style E	Style F	Style G	Style H
RAIN WATER	W/G	9140	9195	9196	9197	9198	9199	9200	9201	9202
RAW WATER	W/G	9145	6196	6197	6198	6199	6200	6201	6202	6203
RECIRCULATED	B/Y	9150	6211	6212	6213	6214	6215	6216	6217	6218
REFRIGERANT DISCHARGE	B/Y	9221	6273	6274	6275	6276	6277	6278	6279	6280
REFRIGERANT LIQUID	B/Y	9222	6288	6289	6290	6291	6292	6293	6294	6295
REFRIGERANT SUCTION	B/Y	9223	6303	6304	6305	6306	6307	6308	6309	6310
RETURN	W/G	9241	6364	2128	2225	6328	2425	6365	6366	6367
RETURN	B/Y	9243	6390	2129	2226	2329	2416	6391	6392	6393
RETURN	W/BLU	9240	6350	6351	6352	6353	6354	6355	6356	6357
R.O. WATER	W/G	9250	6360	6361	6368	2388	2444	6369	6370	6480
R.O. WATER	B/Y	9251	6379	6378	6377	2387	2445	6344	6375	6481
ROOF DRAIN	W/G	9260	6417	6418	6419	12312	2405	6420	6421	6422
SANITARY DRAIN	W/G	9265	6445	6446	6447	2313	2406	2501	6448	6449
SANITARY SEWER	W/G	9267	6456	2113	2211	2314	2407	6457	6458	6459
SANITARY VENT*	W/G	19058	19128	19198	19268	19338	19408	19478	19548	19618
SANITARY VENT	B/Y	16482	6483	6484	6485	6486	6487	6488	6489	6490
SANITARY WASTE*	W/G	19059	19129	19199	19269	19339	19409	19479	19549	19619
SANITARY WASTE	B/Y	9269	6498	6499	6500	6501	6502	6503	6504	6505
SEAL WATER	W/G	14361	14362	14363	14364	14365	14366	14367	14368	14369
SEC CHILLED WATER RET	W/G	23033	23073	23113	23153	23193	23233	23273	23313	23353
SEC CHILLED WATER SUP	W/G	23034	23074	23114	23154	23194	23234	23274	23314	23354
SERVICE AIR	B/Y	14370	14371	14372	14373	14374	14375	14475	14476	14478
SODIUM HYPOCHLORITE	B/Y	14379	14380	14381	14382	14383	14384	14385	14386	14387
SOFT COLD WATER	W/G	14388	14389	14390	14391	14392	14393	14394	14395	14396
SOFT WATER	W/G	9350	6704	6705	6706	6707	6708	6709	6710	6711
SOLAR PREHEAT	W/G	23035	23075	23115	23155	23195	23235	23275	23315	23355
SOLAR RETURN	W/G	23036	23076	23116	23156	23196	23236	23276	23316	23356
SOLAR SUPPLY	W/G	23037	23077	23117	23157	23197	23237	23277	23317	23357
SPRINKLER	W/R	23038	23078	23118	23158	23198	23238	23278	23318	23358
SPRINKLER FIRE	W/R	9352	6782	6783	6784	6785	6786	6787	6788	6789
SPRINKLER WATER	W/R	9354	6797	2118	2216	2319	6802	6803	6804	6805
STEAM*	W/G	19061	19131	19201	19271	19341	19411	19481	19551	19621
STEAM	B/Y	9356	2013	2130	2227	2330	2417	2503	2602	2701
STEAM CONDENSATE*	W/G	19062	19132	19202	19272	19342	19412	19482	19552	19622
STEAM CONDENSATE	B/Y	14397	14398	14399	14400	14401	14402	14403	14404	14405
STEAM RETURN*	W/G	19063	19133	19203	19273	19343	19413	19483	19553	19623
STEAM RETURN	B/Y	9355	6821	6822	2231	2234	2420	2505	2604	2703
STEAM SUPPLY*	W/G	19064	19134	19204	19274	19344	19414	19484	19554	19624
STEAM SUPPLY	B/Y	9357	6832	6833	2232	2335	2421	2506	2605	2704
STORM DRAIN	W/G	9412	6876	6877	6878	2315	2408	6879	6880	6881
STORM SEWER	W/G	9424	6888	2114	2212	2316	2409	6889	6890	6891
STORM WATER	W/G	9432	9325	9358	9359	9360	9361	9362	9363	9364
SUCTION	B/Y	9435	9365	9366	9367	9368	9369	9370	9371	9372
SULFUR DIOXIDE	B/Y	14406	14407	14408	14409	14410	14411	14412	14413	14414
SULFURIC ACID	B/Y	14415	14416	14417	14418	14419	14420	14421	14422	14423
SUMP PUMP DISCHARGE	B/Y	14424	14425	14426	14427	14428	14429	14430	14431	14432
SUPPLY	W/G	9442	2014	2134	2233	2336	2422	2507	2606	2705
SUPPLY	B/Y	9443	2015	2135	2234	2337	2423	2508	2607	2706
SUPPLY	W/BLU	9444	9440	9445	9446	9447	9448	9449	9450	9451
TEMPERED WATER*	W/G	19065	19135	19205	19275	19345	19415	19485	19555	19625
TEMPERED WATER	B/Y	9555	9420	19462	9463	9464	9421	9422	9423	9419
TOLUENE	B/Y	14433	14434	14435	14436	14437	14438	14439	14440	14441
TOWER WATER	W/G	9557	7713	2155	2256	2361	7714	7715	7716	7717
TOWER WATER RETURN	W/G	14442	14443	14444	14445	14446	14447	14448	14449	14450
TOWER WATER SUPPLY	W/G	14451	14452	14453	14454	14455	14456	14457	14458	14459
TREATED WATER	W/G	9553	7724	7725	7726	7727	7728	7729	7730	7737
UNSAFE WATER	B/Y	9559	7788	7789	7790	7791	7792	7793	7794	7795
UTILITY WATER	B/Y	14460	14461	14462	14463	14464	14465	14466	14467	14468
VACUUM*	B/W	19066	19136	19206	19276	19346	19416	19486	19556	19626
VACUUM	B/Y	9541	2017	2137	2236	2339	2424	2509	2608	2707
VACUUM	W/G	9540	2016	2136	2235	2338	2423	2508	2607	2706
VENT	B/Y	9544	7938	7940	2340	2424	2507	2606	7941	7942
VENT	W/G	9543	7922	7923	7924	7925	7926	7927	7928	7929
WAGD	W/PUR	23039	23079	23119	23159	23199	23239	23279	23319	23359
WASTE*	B/O	19067	19137	19207	19277	19347	19417	19487	19557	19627
WASTE	B/Y	9546	7962	2139	2238	2341	7964	7965	7966	7967
WASTE	W/G	9545	7949	2140	2239	7950	7951	7952	7953	7954
WASTE WATER*	B/O	19068	19138	19208	19278	19348	19418	19488	19558	19628
WASTE WATER	W/G	9565	8206	8207	2156	2257	2362	8208	8209	8210
WATER	W/G	19629	19630	19631	19632	19633	19634	19635	19636	19637
WATER	B/Y	9256	8232	2142	2241	2344	8234	8235	8236	8237
WELL WATER	W/G	14469	14470	14471	14472	14473	14474	114475	114476	14477