

SHEET \_\_\_\_\_  
 SECTION \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_



# PRODUCT SUBMITTAL DATA

## AMMONIA REFRIGERATION SPECMARK™ SNAP ON PIPE MARKER



### Specmark™ IIAR Ammonia Refrigeration System SNAP ON Pipe Marker

Specmark™ Precoiled & Pretensioned Plastic Markers save time and labor cost! Craftmark's IIAR Ammonia Refrigeration markers adhere to the LATEST Specification release from the International Institute of Ammonia Refrigeration Bulletin#114 dated March of 2014.

- No pipe preparation necessary.
- 360° visibility-Style AA-F
- Installs quickly in New and Existing Facilities
- Can be removed and reused
- Markers come with preprinted arrows
- Sizes G & H supplied with black nylon ties.
- Custom available at No Extra Charge!










Specmark™ Precoiled & Pretensioned Plastic Markers save installation time and labor costs!

Craftmark's Specmark™ conform 100% to International Institute of Ammonia Refrigeration Bulletin#114 dated March of 2014. We use only the most durable materials and UV screen inks. These durable markers are used on wet, oily, cold, dirty, or rusty pipes, where pressure sensitives won't stick! No preparation of the pipe surface is required before application so valuable labor time is saved!

#### FEATURES

- Meets International Institute of Ammonia Refrigeration Bulletin#114 dated March of 2014.
- No pipe preparation necessary.
- 360° visibility-Styles AA-F
- Installs quickly in new and existing facilities.
- Can be removed and re-used.
- Markers come with preprinted arrows.
- Available in 7 standard coiled sizes.
- Sizes G-H supplied with Black Nylon, UV stabilized ties.
- Sizes to fit 3/8" thru 40"
- Coiled plastic is lightweight yet durable.
- Coiled marker snaps around pipe with ease.
- Heavy 20 mil vinyl on sizes AA-B, G, H.
- Super Heavy-duty 30mil vinyl on sizes C, D, E, F.
- Custom available with no set-up charges or hidden minimum orders. Order 1 with no set-up charge!

#### •SPECMARK™ Application Guide

<b>STYLE AA</b> 	For Pipe Diameters 3/8" to 11/16" 4" marker width, 1/4" letters
<b>STYLE A</b> 	For Pipe Diameters 3/4" to 1" 8" marker width, 1/2" letters
<b>STYLE B</b> 	For Pipe Diameters 1 1/8" to 2 3/8" 8" marker width, 3/4" letters
<b>STYLE C</b> 	For Pipe Diameters 2 1/2" to 3 1/4" 12" marker width 1 1/4" letters
<b>STYLE D</b> 	For Pipe Diameters 3 3/8" to 4 1/2" 12" marker width 1 1/4" letters
<b>STYLE E</b> 	For Pipe Diameters 4 7/8" to 5 7/8" 12" marker width 1 1/4" letters
<b>STYLE F</b> 	For Pipe Diameters 6" to 8" 12" marker width 1 1/4" letters
<b>STYLE G</b> 	For Pipe Diameters 8" to 10" 24" marker width 2 1/2" letters
<b>STYLE H</b> 	For Pipe Diameters over 10" 32" marker width 3 1/2" letters

DATE: \_\_\_ / \_\_\_ / \_\_\_

JOB: \_\_\_\_\_

CONTRACTOR: \_\_\_\_\_

# SPECMARK™ AMMONIA REFRIGERATION WRAP-AROUND MARKER (Continued)

---

ADHESIVE: None needed.

---

SURFACE PREPARATION: No surface preparations needed.

---

SERVICE TEMPERATURE: -40°F to 250°F (-40°C to 121°C)

---

APPLICATION TEMPERATURE: N/A

---

AVERAGE OUTDOOR DURABILITY: 5-7 years

---

CHEMICAL RESISTANCE: EXCELLENT

---

MOISTURE RESISTANCE: EXCELLENT

---

ABRASION RESISTANCE: EXCELLENT

---

GLOSS: 135 units (20° test)

---

STORAGE STABILITY: Indefinite at 70°F (21°C) and 50% relative humidity.

---

DATE: \_\_\_ / \_\_\_ / \_\_\_

JOB: \_\_\_\_\_

CONTRACTOR: \_\_\_\_\_